

3 YEARS
WARRANTY



Video



CTL70
TRACK LIGHT

30W

specification

PRODUCT NAME :	LED TRACK LIGHT
MODEL NO. :	CTL70 30W
SPECIFICATION :	AC220-240V, 50-60Hz ,30W
WORKING TEMP :	-20-50(°C)
POWER FACTOR :	>0.9
CRI(RA) :	>80
COLOR :	White/Black
LIGHT SOURCE :	COB Chip
LUMEN :	80LM/W
BEAM ANGLE :	60°
PRODUCT SIZE :	150*115*75mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel, Exhibition hall.. etc
WARRANTY :	3 years
STANDARD :	CE
NET WET :	720g

Color Temperature:

6500 / 4000K / 3000K





30W

LUMINAIRE PHOTOMETRIC TEST REPORT

NAME: CTL70 LED TRACK LIGHT	TYPE: COB	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: NEXLEDS	SUR.: 45	Shielding Angle:

DATA OF LAMP		PHOTOMETRIC DATA			
MODEL	CTL70 30W	Imax (cd)	2313	S/MH (C0/180)	0.90
NOMINAL POWER (W)	30	LOR (%)	100.0	S/MH (C90/270)	0.60
RATED VOLTAGE (V)	220	TOTAL FLUX (lm)	2544.2	η UP, DN (C0-180)	1.7, 72.7
NOMINAL FLUX (lm)	2544.2	CIE CLASS	DIRECT	η UP, DN (C180-360)	1.6, 24.0
LAMPS INSIDE	1	η up (%)	3.3	CIBSE SHR NOM	0.75
TEST VOLTAGE (V)	220	η down (%)	96.7	CIBSE SHR MAX	0.90



C Range: 0 - 360DEG
C Interval: 15.0DEG
Test Speed: MEDIUM
Temperature: 28DEG
Operators: JACK
Test Date: 2021-08-21

γ Range: 0 - 180DEG
γ Interval: 0.5DEG
Test System: EVERFINE GO-2000B_V1 SYSTEM V2.0.407.13
Humidity: 63.0%
Test Distance: 11.565m [K=1.0000]
Remarks:



JOIN US ON OUR FACEBOOK PAGE +

NEXTLITE PRODUCTS




30W

AAI FIGURE

NAME: CTL70 LED TRACK LIGHT	TYPE: COB	WEIGHT:
SPEC.:	DIM.:	SERIAL No.:
MFR.: NEXLEDS	SUR.: 45	Shielding Angle:

Flux out: 1238 lm



Height Eavg, Emax Angle: 57.63deg Diameter

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

C Range: 0 - 360DEG
C Interval: 15.0DEG
Test Speed: MEDIUM
Temperature: 28DEG
Operators: JACK
Test Date: 2021-08-21

γ Range: 0 - 180DEG
γ Interval: 0.5DEG
Test System: EVERFINE GO-2000B_V1 SYSTEM V2.0.407.13
Humidity: 63.0%
Test Distance: 11.565m [K=1.0000]
Remarks:



JOIN US ON OUR FACEBOOK PAGE +

NEXTLITE PRODUCTS