

2 YEARS
WARRANTY



VIDEO



LED SPOT LIGHT
NX-Z5SL-H-5W

5W

specification

PRODUCT NAME :	LED Spot Light
MODEL NO. :	NX-Z5SL-H-5W
SPECIFICATION :	AC220-240V, 50/60Hz,50mA, 5W
WORKING TEMP :	-20~40(°C)
POWER FACTOR :	0.5
CRI(RA) :	≥80
COLOR :	White Color
LIGHT SOURCE :	Seoul / Lumileds
LUMEN :	500 lm
LIFE TIME :	25,000 hrs
BEAM ANGLE :	38°
PRODUCT SIZE :	85* 39.6mm
CUT OUT :	72mm
IP :	IP20
APPLICATION :	Home, Shop, Hotel
WARRANTY :	2 years
STANDARD :	CE

Color Temperature:

6500K / 4000K / 3000K




5W

LUMINAIRE PHOTOMETRIC TEST REPORT


NAME: LED SPORT LIGHT	TYPE:	WEIGHT:
SPEC.: NX-Z5SL-H-5W	DIM.:	SERIAL No.: G19071204-1
MFR.: NEXLEDS	SUR.:	Shielding Angle:

DATA OF LAMP		PHOTOMETRIC DATA			
MODEL	NX-Z5SL-H-5W	Imax (cd)	764.3	S/MH (C0/180)	0.63
NOMINAL POWER (W)	5	LOR (%)	100.0	S/MH (C90/270)	0.61
RATED VOLTAGE (V)	230	TOTAL FLUX (lm)	529.52	η UP, DN (C0-180)	0.0, 50.1
NOMINAL FLUX (lm)	529.52	CIE CLASS	DIRECT	η UP, DN (C180-360)	0.0, 49.9
LAMPS INSIDE	1	η up (%)	0.0	CIBSE SHR NOM	0.50
TEST VOLTAGE (V)	230	η down (%)	100.0	CIBSE SHR MAX	0.70

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



C0 PLANE ISOLUX DIAGRAM (UNIT:lx)



C Range: 0 - 360DEG
 C Interval: 30.0DEG
 Test Speed: HIGH
 Temperature: 25.1DEG
 Operators: DAMIN
 Test Date: 2019-07-1112

γ Range: 0 - 90DEG
 γ Interval: 1.0DEG
 Test System: EVERFINE GO-SPEC316_V1 SYSTEM V2.0.287
 Humidity: 50%
 Test Distance: 3.160m [K=1.0000]
 Remarks:



JOIN US ON OUR
FACEBOOK PAGE +

NEXTLITE PRODUCTS




5W

AAI FIGURE

NAME: LED SPORT LIGHT	TYPE:	WEIGHT:
SPEC.: NX-Z5SL-H-5W	DIM.:	SERIAL No.: G19071204-1
MFR.: NEXLEDS	SUR.:	Shielding Angle:

Flux out: 198.4 lm



Height Eavg, Emax Angle: 38.31deg Diameter

Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

C Range: 0 - 360DEG
C Interval: 30.0DEG
Test Speed: HIGH
Temperature: 25.1DEG
Operators: DAMIN
Test Date: 2019-07-1112

γ Range: 0 - 90DEG
γ Interval: 1.0DEG
Test System: EVERFINE GO-SPEC316_V1 SYSTEM V2.0.287
Humidity: 50%
Test Distance: 3.160m [K=1.0000]
Remarks:



JOIN US ON OUR
FACEBOOK PAGE +

NEXTLITE PRODUCTS